

Some Additional Review Problems from the Textbook

This is not an exhaustive list of all possible type of problems.
 Answers and solutions to odd exercises are in the book and Student Solutions Manual, respectively.
 (For more problems, see your class notes, examples in the book and homework problems.)

| Section | Problems | Section | Problems |
|---------------|---|---------|---------------------------|
| 1.5 | 9, 17, 33 | 1.6 | 9, 19, 21, 39, 43 |
| | | 1.8 | 3, 13, 35, 45, 49(b), 53 |
| Chap 1 Review | Concept Check: 12-19, True-False Quiz: 6-22, 24-27, Exercises 23-40, 45-52. | | |
| 2.1 | 3(a, b), 5, 13, 27, 33 | 2.2 | 1, 9, 23, 35, 47 |
| 2.3 | 25, 33, 51, 61, 69, 81 | 2.4 | 7, 9, 23, 41, 45 |
| 2.5 | 33, 41, 49, 51, 61 | 2.6 | 9, 15, 21, 29, 59 |
| 2.7 | 1(a-f), 9 | 2.8 | 9, 13, 15, 17, 25, 29, 45 |
| 2.9 | 3, 11, 17, 23, 27 | | |
| Chap 2 Review | All three parts, except Exercises 7-9, 12, 43, 44, 49-52, 73, 75, 76, 82, 83 and 89-92. | | |
| 3.1 | 39, 47, 51, 55 | 3.2 | 7, 11, 19 |
| 3.3 | 11, 13, 23, 35, 39, 43 | 3.4 | 15, 17, 21, 25, 55 |
| 3.5 | 15, 17, 25, 29, 39, 49 | 3.7 | 15, 21, 31, 35, 37 |
| 3.8 | 7, 11, 13, 17 | 3.9 | 15, 19, 33, 57 |
| Chap 3 Review | All three parts, except Exercises 29-32, 48 and 61-66. | | |
| 4.1 | 3, 13, 21 | 4.2 | 9, 23, 37, 49, 63 |
| 4.3 | 11, 13, 29, 31, 33, 37 | 4.4 | 9, 11, 25, 31, 41, 57 |
| 4.5 | 17, 19, 25, 27, 39, 51 | | |
| Chap 4 Review | All three parts, except Exercises 31-34 and 52-58. | | |
| 5.1 | 9, 11, 15, 17, 35 | 5.2 | 7, 9, 11, 17, 29 |
| 5.3 | 5, 11, 17, 19, 37 | 5.4 | 9, 13, 17, 21, 23 |
| 5.5 | 5, 11(a, b), 13 | | |
| Chap 5 Review | All three parts, except Exercises 18, 29(b), 33 and 34. | | |

Calculus I
Math 1210
Sample Exam II - 5 pages
Sections 2.7-3.5

Name: _____

Time Limit: 90 Minutes¹ No Scratch Paper Calculator Allowed: Scientific

The point value of each problem is in the left-hand margin. You must show your work to receive any credit, except on problems 1 and 2. Work neatly.

(7) 1. True or False.

- () (a) The oblique asymptote of the graph of the function $f(x) = \frac{x^2}{x-1}$ is the line $y = x$.
- () (b) The critical numbers of the function f are only those numbers at which the 1st derivative, f' , is zero.
- () (c) If $y = -x^2 + 4x - 10$ and $\frac{dx}{dt}|_{x=2} = -4$, then $\frac{dy}{dt}|_{x=2} = 0$.
- () (d) If function f is continuous on the interval $[a, b]$ and differentiable on (a, b) , then there is at least one number c in (a, b) such that $f'(c) = \frac{f(b)-f(a)}{b-a}$.
- () (e) If $f''(x) \geq 0$ for x 's near c and $f''(c) = 0$, then graph of $y = f(x)$ has an inflection point at $x = c$.
- () (f) The differential of $y = x \sin x - 1$ is $dy = x \cos x$.
- () (g) Suppose function f is defined on an interval I containing c . If in the interval I , $f'(x) < 0$ for $x < c$ and $f'(x) > 0$ for $x > c$, then function $y = f(x)$ has a local minimum at $x = c$.


(8) 2. Consider the function $y = f(x)$, $-\infty < x < \infty$, graphed below. In addition, its inflection points are shown. Determine the open intervals in which this function is decreasing or increasing and open intervals in which the graph is concave downward or concave upward.

$f(x)$ is decreasing on intervals:

$f(x)$ is increasing on intervals:

Graph of $f(x)$ is concave down on intervals:

Graph of $f(x)$ is concave up on intervals:



¹If you exceed the time limit, you will receive a score of zero.

(15) 3. Evaluate the following limits algebraically.

(a) $\lim_{x \rightarrow \infty} \frac{5x^3 - 7x + 11}{3x^4 - 5x^2 + 6x + 2}$

(b) $\lim_{x \rightarrow \infty} (x - \sqrt{x^2 + 2x})$

(c) $\lim_{x \rightarrow -\infty} \frac{\sqrt{x^2 + 1}}{2x + 1}$

(6) 4. Find all asymptotes of the graph of the function $f(x) = \frac{x^3 + 2x}{x^2 - x}$.

- (10) 5. A 6-ft tall man walks at the rate of 4 ft/sec toward a street light that is 15 ft above the ground. At what rate is the length of his shadow changing when he is 8 ft from the street light.
- (8) 6. Use the Rolle's (or the Mean Value Theorem) to show that the equation $x^5 + 2x + 1 = 0$ can not have more than one real-valued solution.
- (7) 7. The position of an moving object at time t is given by $s(t) = t^4 - 4t$. Find this object's acceleration at the time its velocity is zero.

(15) 8. Find the absolute maximum and minimum values of $f(x) = \frac{x}{x^2+4}$ in the interval $[-1, 3]$.

(10) 9. Find the approximate value of $\sqrt[3]{62}$ using the linearization of an appropriate function.

- (15) 10. Consider the function $f(x) = x(x^2 - 5)^{1/3}$. State its domain. Find x - and y -intercepts, if any. Find its symmetry, if any. Find its asymptotes, if any. Find its critical points and determine the intervals in which it is increasing or decreasing. Find the inflection points of its graph and intervals in which it is concave up or concave down. Use these information to graph it.